

From: Sophie Hulton-Harrop <Sophie.Hulton-Harrop@mottmac.com>
Sent: 20 November 2025 12:07:34 UTC+00:00
To: "Katherine Williams" <Katherine.Williams@midsussex.gov.uk>
Subject: RE: DM/25/2303 at Queen Victoria Hospital Holtye Road East Grinstead

That's great news, thank you Katherine!

I can confirm that we accept the 25th November as the determination date.

Many thanks,

Sophie

Sophie Hulton-Harrop

Town Planner

D +442076510617

sophie.hulton-harrop@mottmac.com

Mott MacDonald Restricted

From: Katherine Williams <Katherine.Williams@midsussex.gov.uk>
Sent: 20 November 2025 11:13
To: Sophie Hulton-Harrop <Sophie.Hulton-Harrop@mottmac.com>
Subject: RE: DM/25/2303 at Queen Victoria Hospital Holtye Road East Grinstead

Hi Sophie,

Following your below email the Ecological Consultant has considered this information and is satisfied that the BNG condition can be discharged.

To allow this to happen in time I would like to request an extension of time to 25th November.

Please let me know if this is acceptable.

Kind Regards

Katherine Williams BSc (Hons) MSc

Senior Planning Officer

Mid Sussex District Council

01444 477214

www.midsussex.gov.uk



Working together for a better Mid Sussex

From: Sophie Hulton-Harrop <Sophie.Hulton-Harrop@mottmac.com>
Sent: 12 November 2025 14:58
To: Katherine Williams <Katherine.Williams@midsussex.gov.uk>
Subject: RE: DM/25/2303 at Queen Victoria Hospital Holtye Road East Grinstead

Hi Katherine,

Please see the response from our Ecology team below.

The biodiversity gain site register shows the total number of new or enhanced units that a site is providing, which represents the unit increase from the baseline. The post-intervention value for habitat bank 'BGS-281024001' is 1.31 but that is a 1.03 unit increase compared to the baseline value of 0.28. The post-intervention value for habitat bank 'BGS-191124001' is 1.81 but that is a 1.50 unit increase compared to the baseline value of 0.31.

Summary of sites providing area habitat unit gains							Summary of sites providing hedgerow unit gains						
Gain site reference	Off-site units baseline	Off-site units retained	Off-site units enhanced	Off-site units created	Off-site unit change per gain site (pre-SRM)	Off-site unit change per gain site (post-SRM)	Gain site reference	Off-site units baseline	Off-site units retained	Off-site units enhanced	Off-site units created	Off-site unit change per gain site (pre-SRM)	Off-site unit change per gain site (post-SRM)
BGS-191124001	0.31	0.00	1.81	0.00	1.50	1.50	BGS-281024001	0.13	0.00	0.19	0.00	0.06	0.06
BGS-281024001	0.28	0.00	0.00	1.31	1.03	1.03							

(Off-site gain site summary tab)

The two habitat banks provide an off-site post-intervention of 3.12 area units and 0.19 hedgerow units. The two habitat banks provide an off-site net change of 2.53 area units and 0.06 hedgerow units. The off-site net change is the value that is used to account for the net gain and what has been purchased from the Environment Bank.

This results in the following;

FINAL RESULTS		
Total net unit change (Including all on-site & off-site habitat retention, creation & enhancement)	Habitat units	0.23
	Hedgerow units	0.01
	Watercourse units	0.00
Total net % change (Including all on-site & off-site habitat retention, creation & enhancement)	Habitat units	10.16%
	Hedgerow units	14.55%
	Watercourse units	0.00%
Trading rules satisfied?	Yes ✓	

(Headline results tab)

The project has provided over 10% BNG through the purchase of units and the certificates provided evidence the purchase of these units.

We note the comment in relation to the onsite assessment, however owing to the operational pressures of the hospital the client was unable to secure this land for 30 years. Please see the detailed justification for this in the BNG report.

Many thanks,

Sophie

Sophie Hulton-Harrop

Town Planner

D +442076510617

sophie.hulton-harrop@mottmac.com

Mott MacDonald Restricted

From: Katherine Williams <Katherine.Williams@midsussex.gov.uk>

Sent: 11 November 2025 13:57

To: Sophie Hulton-Harrop <Sophie.Hulton-Harrop@mottmac.com>

Subject: DM/25/2303 at Queen Victoria Hospital Holtye Road East Grinstead

Dear Sophie,

Please see the attached comments from the Council's Ecological Consultant regarding BNG, who require further information.

Kind Regards

Katherine Williams BSc (Hons) MSc

Senior Planning Officer

Mid Sussex District Council

01444 477214

www.midsussex.gov.uk



MID SUSSEX
DISTRICT COUNCIL

Working together for a better Mid Sussex

The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible

for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.

The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.