

Mr Medi Tizro
c/o Mr Gary Brookes
Bale House CAD Ltd
4 Bale Close
Bexhill-on-Sea
TN39 4JT

CONTACT: Andrew Horrell
PHONE: 01444 477446
E-MAIL: andrew.horrell@midsussex.gov.uk
DATE: 15th April 2026

Dear Mr Brookes,

Reference: DM/26/0595

Proposal: Proposed detached garage

Location: Brantridge Hall High Beeches Lane Handcross Haywards Heath

I am writing with regard to the above application.

The Council is required to determine whether the application should be accompanied by an Environmental Impact Assessment in accordance with Regulation 8 of the Town and Country Planning (Environmental Impact Assessment) Regulations 2017.

The site is within the High Weald Area of Outstanding Natural Beauty which is defined as a sensitive area in regulation 2(1). In the opinion of the Local Authority, the proposed development would not be likely to have a significant effect on the environment by virtue of the factors such as its nature, size and location.

Accordingly, the Local Authority directs that the development for which planning permission is sought by the application reference number DM/26/0595 is not EIA development. Consequently, no Environment Impact Assessment is required to be submitted with the planning application.

Yours faithfully



Eric Owens
Interim Assistant Director Planning and Sustainable Economy

DP87

