

From: FRS Water and Access <FRSWaterandAccess@westsussex.gov.uk>
Sent: 10 July 2026 13:45:25 UTC+01:00
To: "Susan Dubberley" <susan.dubberley@midsussex.gov.uk>
Subject: RE: Byanda The existing access to Byanda site is via the route Location of Fire Hydrants DM/26/0732

Dear Susan,

Yes, the proposed FH location will meet with requirements for this planning application, West Sussex Fire & Rescue Service will need to be informed when it is in place and ready for use.

Regards
Ian



Ian Stocks

Water & Access Manager - Protection

West Sussex Fire & Rescue Service

Office 0330 222 4499 **Mobile** 07921 291051

Web www.westsussex.gov.uk/fire

Email frs.waterandaccess@westsussex.gov.uk

Bognor Regis Fire Station Fire Station, West Meads Drive, West

From: Susan Dubberley <susan.dubberley@midsussex.gov.uk>
Sent: 09 July 2026 11:08
To: FRS Water and Access <frswaterandaccess@westsussex.gov.uk>
Subject: FW: Byanda The existing access to Byanda site is via the route Location of Fire Hydrants DM/26/0732

****EXTERNAL****

Dear Ian,

Can you confirm that the latest proposal for a fire hydrant on the site is acceptable.

Kind Regards

Sue Dubberley BA(Hons) Dip TP MRTPI

Senior Planning Officer

Development Management

(01444 477590)

(Please note my working days are Monday to Thursday)

The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.

CAUTION: This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

LEGAL DISCLAIMER

This email and any attachments are confidential and intended solely for the persons addressed. If it has come to you in error please reply to advise us but you should not read it, copy it, show it to anyone else nor make any other use of its content. West Sussex County Council takes steps to ensure emails and attachments are virus-free but you should carry out your own checks before opening any attachment.
