



----- Highway boundary

Lighting Classes (BS5489-1:2020)

All roads

Notes

- Do not scale from drawing if not printed at original paper size.
- All street lighting equipment and works to be carried out in accordance with current West Sussex County Council specification. All references to standard drawings refer to West Sussex County Council specification document unless otherwise stated.
- Any inaccuracies are to be reported to the Overseeing Organisation immediately.
- Contractor to confirm position of statutory undertakers plant before commencement of the work and statutory undertakers's information visit via www.linereasebeforeworking.co.uk.
- During works all traffic management to be in accordance with Chapter 8 of the Traffic Signs Manual.
- Columns are to be designed in accordance with BS5940 and PD6547.
- Lighting column to be fitted by DNO supply unless otherwise shown.
- The contractor shall liaise with the DNO in relation to the programming and coordination of any works associated with the connection and disconnection of street lighting equipment.
- It should be assumed by the contractor that not all services have been identified during the design period. It is the responsibility of the contractor to ensure that the services identified services are carefully located and reported.
- Each luminaire to be fitted with a 7 pin NEMA socket.
0. Maintenance numbers as shown on the drawing are to be confirmed by WSSC.
1. Columns to be numbered using adhesive labels suitable for exterior use.
- Letters and numerals shall be 50mm high black on a white background.
2. Columns are to be factory painted
3. One Mayflow/Complete lighting control DALI sub-master unit to be installed to control nodes and link central management system.
4. Prior to the installation of Mayflow nodes & submasters, all luminaires to be fitted with NEMA 35/18 all night photocells.
5. All apparatus to be installed at the time of installation and be supported by relevant manufacturer's guarantees.
6. All apparatus shall be sited so as to minimise, in so far as is reasonable and practical, nuisance, danger and obstruction to all residents, businesses and users of the highway.
7. An Illumination statement must be installed and tested in compliance with BS7671 at the time of adoption.
8. Trees or any other foliage on the site must not interfere with the lighting.
9. This detailed design has been prepared in accordance with the HEA/HMSA guidance note - CDM2015 regulations, issue 1, dated 09/04/15 Procedure 3. Information has been supplied by the client or another Designer or the Principal on the basis of this lighting scheme design and does not include the hazards identified by others on their hazard elimination and management list.

A	ORIGINAL ISSUE	15/12/25	MV
REV	DESCRIPTION	DATE	B

ENERVEO - STREET LIGHTING

34 Palmerston Drive, Fareham, Hampshire PO14 1DJ
Email: lightingdesign@enerveo.com Tel: 01133 853129

TITLE

STREET LIGHTING LAYOUT DRAWING SHEET 1 OF 7

PROJECT

IMBERHORNE FARM
EAST GRINSTEAD - RESERVE MATTERS

SCALE	DATE	15/12/25
1:2000 @ A1	DRAWN	MWG
	CHECKED	RHJ
PAPER SIZE A1	APPROVED	SAB

DRAWING NUMBER

EVO20033126-LD-010

REVISIC

A