

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE	Date: 10/06/2025		
	Designed by: SV	Checked by: SM	Approved By: Sm
Report Details: Type: Stormwater Controls Storm Phase: Phase (1)	Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		





Basin (2)

Type : Pond

Dimensions

Exceedance Level (m)	141.190
Depth (m)	0.540
Base Level (m)	140.650
Freeboard (mm)	300
Initial Depth (m)	0.000
Porosity (%)	100
Average Slope (1:X)	6.007
Total Volume (m³)	145.133

Depth (m)	Area (m²)	Volume (m³)
0.000	543.00	0.000
0.540	844.00	371.515

Advanced

Base Infiltration Rate (m/hr)	0.0018
Side Infiltration Rate (m/hr)	0.0018
Safety Factor	2.0
Perimeter	Circular
Length (m)	85.423
Friction Scheme	Manning's n
n	0.035



Basin (1)

Type : Pond

Dimensions

Exceedance Level (m)	141.250
Depth (m)	0.600
Base Level (m)	140.650
Freeboard (mm)	300
Initial Depth (m)	0.000
Porosity (%)	100
Average Slope (1:X)	12.16
Total Volume (m³)	67.528

Depth (m)	Area (m²)	Volume (m³)
0.000	84.30	0.000
0.050	197.00	6.836
0.200	248.00	40.138
0.600	489.00	184.837

Advanced

Base Infiltration Rate (m/hr)	0.0018
Side Infiltration Rate (m/hr)	0.0018
Safety Factor	2.0
Perimeter	Circular
Length (m)	39.532
Friction Scheme	Manning's n
n	0.035

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE	Date: 10/06/2025		
	Designed by: SV	Checked by: SM	Approved By: Sm
Report Details: Type: Stormwater Controls Storm Phase: Phase (1)	Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



Swale (1)

Type : Swale

Swale

Exceedance Level (m)	140.900
Depth (m)	0.600
Base Level (m)	140.300
Top Width (m)	4.600
Side Slope (1:X)	2.17
Base Width (m)	2.000
Freeboard (mm)	300
Length (m)	152.299
Long. Slope (1:X)	500.00
Filtration Rate (m/hr)	0.0018
Friction Scheme	Manning's n
n	0.035
Total Volume (m³)	121.078

Advanced

Safety Factor	2.0
---------------	-----

Swale

Base Infiltration Rate (m/hr)	0.0018
Side Infiltration Rate (m/hr)	0.0018
Porosity (%)	100

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE		Date: 10/06/2025			
		Designed by: SV	Checked by: SM		Approved By: Sm
Report Details: Type: Connections Storm Phase: Phase (1)		Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network			

Name	Length (m)	Connection Type	Slope (1:X)	Manning's n	Colebrook-White Roughness (mm)	Diameter / Base Width (mm)	Upstream Cover Level (m)	Upstream Invert Level (m)
Pipe (1)	9.499	Pipe	94.994		0.6	100	141.250	140.850
Pipe (2)	7.381	Pipe	92.260		0.6	150	141.190	140.730
Pipe	22.384	Pipe	447.678		0.6	150	141.250	140.750

Name	Downstream Cover Level (m)	Downstream Invert Level (m)	Lock
Pipe (1)	141.205	140.750	All
Pipe (2)	140.900	140.650	All
Pipe	141.190	140.700	All

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE		Date: 10/06/2025			
		Designed by: SV	Checked by: SM		Approved By: Sm
Report Details: Type: Inflow Summary Storm Phase: Phase (1)		Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network			

Inflow Label	Connected To	Flow (L/s)	Runoff Method	Area (ha)	Percentage Impervious (%)	Urban Creep (%)	Adjusted Percentage Impervious (%)	Area Analysed (ha)
Catchment Area A	Basin (1)		Time of Concentration	0.501	80	0	80	0.400
Catchment Area B	Basin (2)		Time of Concentration	0.293	80	0	80	0.235
TOTAL		0.0		0.794				0.635

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE	Date: 10/06/2025			
	Designed by: SV	Checked by: SM	Approved By: Sm	
Report Details: Type: Network Design Criteria Storm Phase: Phase (1)	Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network			

Flow Options

Peak Flow Calculation	(UK) Modified Rational Method
Min. Time of Entry (mins)	5
Max. Travel Time (mins)	30

Pipe Options

Lock Slope Options	None
Design Options	Minimise Excavation
Design Level	Level Soffits
Min. Slope (1:X)	500.00
Max. Slope (1:X)	40.00
Min. Velocity (m/s)	1.0
Max. Velocity (m/s)	3.0
Use Flow Restriction	☐
Reduce Channel Depths	☐

Manhole Options

Apply Offset	☐
--------------	--------------------------

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE	Date: 10/06/2025		
	Designed by: SV	Checked by: SM	Approved By: Sm
Report Title: Rainfall Analysis Criteria	Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



Runoff Type	Dynamic
Output Interval (mins)	5
Time Step	Default
Urban Creep	Apply Global Value
Urban Creep Global Value (%)	0
Junction Flood Risk Margin (mm)	300
Perform No Discharge Analysis	☐

Rainfall

FEH

Type: FEH

Site Location	GB 525799 132763 TQ 25799 32763
Rainfall Version	2013
Data Type	Point
Summer	☒
Winter	☒

Return Period

Return Period (years)	Increase Rainfall (%)
10.0	0.000
30.0	0.000
100.0	0.000
100.0	40.000

Storm Durations

Duration (mins)	Run Time (mins)
15	30
30	60
60	120
120	240
240	480
360	720
480	960
960	1920
1440	2880

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE		Date: 10/06/2025		
		Designed by: SV	Checked by: SM	
		Approved By: Sm		
Report Details: Type: Stormwater Controls Summary Storm Phase: Phase (1)		Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



FEH: 10 years: Increase Rainfall (%): +0: Critical Storm Per Item: Rank By: Max. DS Depth

Stormwater Control	Storm Event	Max. US Level (m)	Max. DS Level (m)	Max. US Depth (m)	Max. DS Depth (m)	Max. Inflow (L/s)	Max. Residual Volume (m³)	Max. Flooded Volume (m³)	Total Lost Volume (m³)	Max. Outflow (L/s)	Total Discharge Volume (m³)	Half Drain Down Time (mins)	Percentage Available (%)
Basin (2)	FEH: 10 years: +0 %: 1440 mins: Winter	140.730	140.730	0.080	0.080	1.8	44.903	0.000	21.932	0.0	0.000	2799	69.061
Basin (1)	FEH: 10 years: +0 %: 960 mins: Summer	140.795	140.794	0.145	0.144	3.0	26.940	0.000	2.411	1.4	23.853	323	60.105
Swale (1)	FEH: 10 years: +0 %: 15 mins: Summer	140.605	140.300	0.000	0.000	0.0	0.000	0.000	0.000	0.0	0.000		100.000

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE	Date: 10/06/2025		
	Designed by: SV	Checked by: SM	Approved By: Sm
Report Details: Type: Stormwater Controls Summary Storm Phase: Phase (1)	Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



Status
OK
OK
OK

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE		Date: 10/06/2025		
		Designed by: SV	Checked by: SM	Approved By: Sm
Report Details: Type: Stormwater Controls Summary Storm Phase: Phase (1)		Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



FEH: 30 years: Increase Rainfall (%): +0: Critical Storm Per Item: Rank By: Max. DS Depth

Stormwater Control	Storm Event	Max. US Level (m)	Max. DS Level (m)	Max. US Depth (m)	Max. DS Depth (m)	Max. Inflow (L/s)	Max. Residual Volume (m³)	Max. Flooded Volume (m³)	Total Lost Volume (m³)	Max. Outflow (L/s)	Total Discharge Volume (m³)	Half Drain Down Time (mins)	Percentage Available (%)
Basin (2)	FEH: 30 years: +0 %: 1440 mins: Winter	140.746	140.746	0.096	0.096	2.4	54.467	0.000	22.188	0.4	13.305	1339	62.471
Basin (1)	FEH: 30 years: +0 %: 480 mins: Summer	140.807	140.807	0.157	0.157	6.1	29.858	0.000	1.203	2.3	25.635	226	55.784
Swale (1)	FEH: 30 years: +0 %: 1440 mins: Winter	140.610	140.406	0.005	0.106	0.4	9.349	0.000	6.078	0.0	0.000	1033	92.278

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE	Date: 10/06/2025		
	Designed by: SV	Checked by: SM	Approved By: Sm
Report Details: Type: Stormwater Controls Summary Storm Phase: Phase (1)	Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



Status
OK
OK
OK

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE		Date: 10/06/2025		
		Designed by: SV	Checked by: SM	Approved By: Sm
Report Details: Type: Stormwater Controls Summary Storm Phase: Phase (1)		Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



FEH: 100 years: Increase Rainfall (%): +0: Critical Storm Per Item: Rank By: Max. DS Depth

Stormwater Control	Storm Event	Max. US Level (m)	Max. DS Level (m)	Max. US Depth (m)	Max. DS Depth (m)	Max. Inflow (L/s)	Max. Residual Volume (m³)	Max. Flooded Volume (m³)	Total Lost Volume (m³)	Max. Outflow (L/s)	Total Discharge Volume (m³)	Half Drain Down Time (mins)	Percentage Available (%)
Basin (2)	FEH: 100 years: +0 %: 1440 mins: Winter	140.759	140.759	0.109	0.109	3.3	62.277	0.000	22.427	1.4	39.057	617	57.090
Basin (1)	FEH: 100 years: +0 %: 480 mins: Summer	140.824	140.824	0.174	0.174	7.7	33.675	0.000	1.204	3.7	36.962	156	50.131
Swale (1)	FEH: 100 years: +0 %: 1440 mins: Winter	140.616	140.531	0.011	0.231	1.4	34.069	0.000	7.860	0.0	0.000	3740	71.862

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE	Date: 10/06/2025		
	Designed by:	Checked by:	Approved By:
	SV	SM	Sm
Report Details: Type: Stormwater Controls Summary Storm Phase: Phase (1)	Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



Status
OK
OK
OK

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE		Date: 10/06/2025		
		Designed by: SV	Checked by: SM	Approved By: Sm
Report Details: Type: Stormwater Controls Summary Storm Phase: Phase (1)		Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



FEH: 100 years: Increase Rainfall (%): +40: Critical Storm Per Item: Rank By: Max. DS Depth

Stormwater Control	Storm Event	Max. US Level (m)	Max. DS Level (m)	Max. US Depth (m)	Max. DS Depth (m)	Max. Inflow (L/s)	Max. Residual Volume (m³)	Max. Flooded Volume (m³)	Total Lost Volume (m³)	Max. Outflow (L/s)	Total Discharge Volume (m³)	Half Drain Down Time (mins)	Percentage Available (%)
Basin (2)	FEH: 100 years: +40 %: 1440 mins: Summer	140.779	140.779	0.129	0.129	6.9	74.261	0.000	22.808	3.8	86.961	304	48.833
Basin (1)	FEH: 100 years: +40 %: 240 mins: Summer	140.858	140.857	0.208	0.208	17.3	41.940	0.000	0.600	7.0	46.114	111	37.893
Swale (1)	FEH: 100 years: +40 %: 1440 mins: Winter	140.660	140.660	0.055	0.360	3.4	81.549	0.000	9.731	0.0	0.000	9038	32.647

Company: Colin Toms & Partners Suffolk House, 154 High Street Sevenoaks, TN13 1XE	Date: 10/06/2025		
	Designed by: SV	Checked by: SM	Approved By: Sm
Report Details: Type: Stormwater Controls Summary Storm Phase: Phase (1)	Project: A9307 - Mid Sussex Parks (Hemsleys Meadows and Finches Field) Surface Water Network		



Status
OK
OK
Flood Risk