

From: planninginfo@midsussex.gov.uk <planninginfo@midsussex.gov.uk>
Sent: 21 June 2025 08:18:47 UTC+01:00
To: "Hamish Evans" <hamish.evans@midsussex.gov.uk>
Subject: Mid Sussex DC - Online Register - Comments for Planning Application
DM/25/1495

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 21/06/2025 8:18 AM.

Application Summary

Address:	Land Adj. To Rocky Lane Haywards Heath West Sussex
Proposal:	The installation of a 22.5 metre lattice mast, mounted with 9No. antennas, 12No. cabinets, 1No. Electrical meter cabinet located within a compound comprised of 2.4 metre high chain-link fence topped with 3 strands of barbed wire and the creation of a new access from Rocky Lane and ancillary development thereto.
Case Officer:	Hamish Evans

[Click for further information](#)

Customer Details

Address:	3 Bellingham Place Haywards heath
----------	-----------------------------------

Comments Details

Commenter Type:	Neighbour or general public
Stance:	Customer objects to the Planning Application
Reasons for comment:	
Comments:	Reading the various health implications associations related to these 5g masts I object to it being placed near my home. I have enough health concerns as it is with our adding to them they are unsightly and not needed

Kind regards