

— THE —  
**ROOFLIGHT CO.**  
— COTSWOLDS —



Proposal for **Sally Project** Hurstwood Lane, **HAYWARDS HEATH**, West Sussex RH17  
7QY.

CR09 Conservation Rooflights



CR13 Conservation Rooflight



CR11 Conservation Rooflight



Bespoke Rooflights



Dear Sally, please find enclosed your Rooflight proposal for your project at Hurstwood Lane, HAYWARDS HEATH, West Sussex RH17 7QY. We believe that natural light is key to achieving the full potential of your property and we are committed to helping you find the perfect top lighting solution for your project. I hope my proposal meets your requirements, but I would be very happy to discuss the options further should you have any questions. I look forward to hearing from you when you have reviewed the details.

All the best, *Clive Barnett*

The Rooflight Co.  
Unit T1, Bourton Industrial Park  
Bourton-on-the-Water, GL54 2HQ

Your project advisor is:

**Clive Barnett**, Sales Project Consultant



01993 833 148



clive.barnett@therooflightco.com



www.therooflightco.com



Connect with me on LinkedIn.



## Quotation 337670

Date 11/03/2025 **quote valid for 28 days from this date.**

Customer: Charles Linton Construction Ltd

Customer ID: 64073

Ship To: Charles Linton Construction Ltd  
Hurstwood Lane, HAYWARDS HEATH  
WEST SUSSEX, RH17 7QY

### Leadtimes:

Order today to secure delivery for:

| Line | Qty | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | 2   | <p>CR9 Conservation Rooflight® Clear Structural Width 717mm x Clear Structural Length 1028mm fabricated in Steel Pre-treated with a Hot Zinc Spray with 1 glazing bar, fitted with internal Timber linings and Thermoliner®. IGU specification 4mm SGG PLANITHERM® ONE II (Low E) Toughened Inner with a 16mm Argon Cavity and a 4mm SGG PLANILUX® Toughened Outer. Paint specification: Black RAL9005 with a Textured Semi-Gloss Finish, with Black (Colour Matched to RAL9005) Silicone. Integral timber linings finished in RAL9010 White. Suitable for pitched roofs between 17.5° - 65°.</p> <p>This is a stocked item when referring to our Terms and Conditions of sale.</p> |
| 2    | 2   | <p>Brass pole winder with an opening distance of 300mm, suitable for out of reach locations. To be pole operated</p> <p>This is a stocked item when referring to our Terms and Conditions of sale.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 3    | 1   | <p>1.75 - 3.0m Aluminium Telescopic Pole for use with out of reach pole winder.</p> <p>This is a stocked item when referring to our Terms and Conditions of sale.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 4    | 2   | <p>CR-9 On the Rafter Full Flashing Kit including Head, Cill and Jamb flashing. Suitable for roof pitches 17.5 – 65 degrees. ** Not suitable for Between the Rafter installation / Flush installation **</p> <p>This is a stocked item when referring to our Terms and Conditions of sale</p>                                                                                                                                                                                                                                                                                                                                                                                       |

The Rooflight Co.  
Unit T1, Bourton Industrial Park  
Bourton-on-the-Water, GL54 2HQ

## Quotation 337670

Date 11/03/2025 **quote valid for 28 days from this date.**

Customer: Charles Linton Construction Ltd

Customer ID: 64073

Project Ref: Hurstwood Lane, HAYWARDS HEATH, West  
Sussex RH17 7QY

Page 4 of 5

| Line | Qty | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Price £ | Net £ |
|------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|
| 5    | 3   | <p>CR14/2 Conservation Rooflight® Clear Structural Width 717mm x Clear Structural Length 1333mm fabricated in Steel Pre-treated with a Hot Zinc Spray with 1 glazing bar, fitted with internal Timber linings and Thermoliner®. IGU specification: 4mm SGG PLANITHERM® ONE II (Low E) Toughened Inner with a 16mm Argon Cavity and a 4mm SGG PLANILUX® Toughened Outer. Paint specification: Black RAL9005 with a Textured Semi-Gloss Finish, with Black (Colour Matched to RAL9005) Silicone. Integral timber linings finished in RAL9010 White. Suitable for pitched roofs between 17.5° - 65°.</p> <p>This is a stocked item when referring to our Terms and Conditions of sale.</p>             |         |       |
| 6    | 3   | <p>Brass hand winder with an opening distance of 300mm, suitable for within reach locations.</p> <p>This is a stocked item when referring to our Terms and Conditions of sale.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |       |
| 7    | 3   | <p>CR-14/2 On the Rafter Full Flashing Kit including Head, Cill and Jamb flashing. Suitable for roof pitches 17.5 – 65 degrees. ** Not suitable for Between the Rafter installation / Flush installation **</p> <p>This is a stocked item when referring to our Terms and Conditions of sale</p>                                                                                                                                                                                                                                                                                                                                                                                                    |         |       |
| 8    | 1   | <p>SD29 Studio Designer Rooflight - 2 x CR11 Casements, overall Clear Structural Width 1672mm x Clear Structural Length 1028mm fabricated in Steel (Standard) with 2 Glazing Bars, fitted with internal timber linings and Thermoliner®. IGU specification: 4mm SGG PLANITHERM® ONE II (Low E) Toughened Inner with a 16mm Argon Cavity and 4mm SGG PLANILUX® Toughened Outer. Paint specification: Black RAL9005 with a Textured Semi-Gloss Finish (standard) with a Black (Colour Matched to RAL9005) Silicone. Integral timber linings finished in RAL9010 White, with Black RAL9005 Internal Glazing Bar. [This is a made to order item when referring to our Terms and Conditions of sale]</p> |         |       |
| 9    | 2   | <p>Conservation Rooflight® Reveal Mounted Fix Shut Bracket RAL9010. [this is a standard item]</p> <p>This is a made to order item when referring to our Terms and Conditions of sale</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |         |       |
| 10   | 1   | Delivery Charge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |         |       |

The Rooflight Co.  
Unit T1, Bourton Industrial Park  
Bourton-on-the-Water, GL54 2HQ

## Quotation 337670

Date 11/03/2025 **quote valid for 28 days from this date.**

Customer: Charles Linton Construction Ltd  
Customer ID: 64073  
Project Ref: Hurstwood Lane, HAYWARDS HEATH, West  
Sussex RH17 7QY

Page 5 of 5

| Line | Qty | Description | Price £ | Net £ |
|------|-----|-------------|---------|-------|
|------|-----|-------------|---------|-------|

BACS Details National Westminster Bank. Account Name: The Metal Window Company Ltd, Sort Code 60-21-40, Account Number 40417816 Registered in England No. 2881879 | VAT No. 618 4102 63 | Registered Office : The Metal Window Company Limited, Unit T1, Bourton Industrial Park, Bourton-on-the-Water, GL54 2HQ

At the Rooflight Co we started our journey with a simple aim; to harness the beauty of natural light from above, whilst being sympathetic to the historic character of period buildings and their surroundings. We achieved this by designing The Original Conservation Rooflight, which is trusted by English Heritage, The National Trust and Historic England.

Since 1993 we have been continually developing our original design to ensure it maintains a true authenticity to its Victorian predecessors, along with technical performance that meets the very latest building regulations requirements. Our top lighting solutions have grown in depth and breadth and our pitched and flat roof collections now include not only our original historic Conservation Rooflight, but the contemporary Neo Rooflight.

We pride ourselves on our attentive service to our clients. For us, every project is personal.

I will be in touch to discuss how we can support you further with your project but in the meantime, please do visit our website where you will find some case studies of our work, along with some more technical literature. Finally, if you are in the area and would like to meet face to face, please do feel free to visit us at our home in the Cotswolds.

Kind Regards

Clive Barnett

