


- NOTES**
- 1 This drawing to be read in conjunction with all relevant Architects and Engineers drawings and specifications.
  - 2 Dimensions are in millimetres unless noted otherwise.
  - 3 Original topographic survey undertaken by The Greenhatch Group. For full topographic survey information see drawings by Greenhatch No. 53644-T. All levels based on Ordnance Survey by GPS.
  - 4 Before excavation commences, the Contractor shall ascertain the depths, sizes and locations of all services to be crossed. Any conflicts in levels between new works and existing services shall be notified to the Engineer.
  - 5 Details are provisional only based upon the Sewerwork Drainage Report Dated March 2025. Manhole numbering is taken from the Greenhatch survey drawing and the Sewerwork Report.
  - 6 Prior to construction commencing on site the Contractor shall clean through all drainage runs in the vicinity of the works and undertake a CCTV Inspection & report of the pipework. A copy of the inspection video & report shall be forwarded to the Engineer for comment.



P2	STAGE 3 SUBMISSION.		PF-03-07-25
REV	DESCRIPTION	CHECKED	DATE

**Archibald Shaw**

Consulting Civil & Structural Engineers  
 One Little London, Chichester, West Sussex PO19 1PP  
 Telephone: 01243 786471 www.archibaldshaw.co.uk

CLIENT  
Atkins Realis / WSCC

PROJECT  
**Proposed Extension**  
**St Augustine's School**  
**Existing Drainage Layout**

DRAWN BY PF	CHECKED BY JL	DESIGNED BY PF
SCALE @ A1 1:125	© DATE Apr. 2025	STATUS Stage 3
JOB NO. 33988	DRAWING NO. DR.01	REVISION P2