

WSCC CONSULTATION RESPONSE: County Planning – Minerals & Waste Planning Authority

Case Officer: Joanne Fisher	
25/08/2022	
Land South Of Henfield Road, Albourne, West Sussex	
DM/22/2416 Outline planning permission for the erection of up to 120 residential dwellings including 30% affordable housing, public open space and community facilities. All matters are reserved except for access.	
☐ Advice ☐ Modification ☑ More Information	☐ Objection ☐ No Objection ☐ Refusal
	25/08/2022 Land South Of Henfield Rosussex DM/22/2416 Outline planerection of up to 120 residual 30% affordable housing, prommunity facilities. All motor access. Advice Modification

West Sussex Joint Minerals Local Plan (July 2018)

The site is within areas identified as a brick clay Mineral Safeguarding Area. Policy M9 of the JMLP notes that proposals for non-mineral development within these areas will not be permitted unless:

- (i) "Mineral sterilisation will not occur; or
- (ii) It is appropriate and practicable to extract the mineral prior to the development taking place, having regards to the other policies in this Plan; or
- (iii) the overriding need for the development outweighs the safeguarding of the mineral and it has been demonstrated that prior extraction is not practicable or environmentally feasible."

The applicant has not considered the potential for the prior extraction of the resource by way of submission of a Mineral Resource Assessment, or the safeguarding of the mineral resource within their Planning Statement. Therefore, the MWPA would request that more information is submitted prior to a decision being issued, whereby the applicant should demonstrate that the proposal complies with Policy M9 as outlined above.

The applicant's attention is drawn to the WSCC Minerals and Waste Safeguarding Guidance, found here.

West Sussex Waste Local Plan (April 2014)

The decision maker should be satisfied that the proposals minimise waste generation, maximise opportunities for re-using and recycling waste, and where necessary include waste management facilities of an appropriate type and scale (Policy W23).



<u>Tel.</u>: 0330 2228 879

Email: edward.anderson@westsussex.gov.uk